HushJot

A private, instant notepad for the web.

Markdown Cheat Sheet

Everything HushJot renders, on two pages.

On the left, what you type. On the right, what **HushJot** shows, rendered by the app itself. Every example works as printed.

BASIC SYNTAX

Headings

```
# Heading 1
## Heading 2
### Heading 3
```

Heading 1
Heading 2
Heading 3

Up to six `#`. Or underline a line with `===` or `---`.

Emphasis

```
**Bold**, *italic*,
***both***
and ~~strikethrough~~
```

Bold, *italic*, ***both*** and ~~strikethrough~~

`__bold__` and `_italic_` work too.

Paragraphs and line breaks

```
One Enter keeps the
same paragraph.

A blank line starts a new
one.\
End a line with \ to break
it.
```

One Enter keeps the same paragraph.

A blank line starts a new one.
End a line with \ to break it.

Two spaces at the end of a line also break it.

Lists

```
- Bullet
- Bullet
  - Indent to nest

1. First
2. Second
```

- Bullet
- Bullet
  - Indent to nest

1. First
2. Second

`*` and `+` make bullets too. A list keeps its first number.

Task lists

```
- [x] Write the draft
- [ ] Send it
```

- [x] Write the draft
- [ ] Send it

Tick boxes in the preview, or with ⌘↵ in the editor.

Blockquotes

```
> A quote.
>
> > A quote in a quote.
```

> A quote.
>
> > A quote in a quote.

Links

```
[HushJot]
(https://hushjot.com)

<https://hushjot.com>
```

HushJot
https://hushjot.com

Bare addresses like `www.example.com` and `hi@example.com` become links on their own.

Reference links

```
Read the [guide][g].

[g]: https://hushjot.com
```

Read the guide.

Define the address once, anywhere in the note.

Images

```
![A cat]
(https://example.com/cat.p
ng)
```

A cat

HushJot never fetches a remote image, so no image host learns you opened the note. It shows as a link instead.

Code

````
Inline `code` in a
sentence.

```js
const note = "private";
```
````

Inline `code` in a sentence.

```
const note = "private";
```

Name the language after ``` to colour it in the app: about 150 are known.

Tables

```
| Left | Centre | Right |
| :--- | :----: | ----: |
| a    | b      | c     |
```

Left	Centre	Right
a	b	c

Colons set the alignment. The pipes don't have to line up.

Horizontal rule and escapes

```
---

\*Not italic\* and \# not
a heading
```

Not italic and # not a heading

A backslash makes the next symbol plain text.

EXTENDED SYNTAX

Highlight, subscript, superscript

```
==Highlight==, H~2~O and E = mc^2^
```

==Highlight==, H_2O and E = mc^2

Footnotes

```
A bold claim.[^1]

[^1]: The source for it.
```

A bold claim.[1]

1. The source for it. ↩

Notes are listed at the end, numbered in the order they are defined.

Definition lists

```
Markdown
: A plain-text way to
format writing.
```

Markdown
: A plain-text way to format writing.

Heading anchors

```
## Setup {#setup}

[Jump to setup](#setup)
```

Setup

Jump to setup

Every heading has an anchor anyway: `## My Title` is `#my-title`.

Emoji

```
:rocket: :tada:
:white_check_mark:
:warning: :+1:
```

🚀 🎉 ✅ ⚠️ 👍

GitHub-style names for the common emoji.

HUSHJOT EXTRAS

Note links

```
See [[Meeting notes]] or
[[Meeting notes|the
notes]].
```

See Meeting notes or the notes.

Type `[[` to pick a note. Tap a link, or `⌘`-click it, to follow.

Tags

```
Ideas for #work and
#work/launch
```

Ideas for #work and #work/launch

Click a tag to see every note that has it.

Formatting shortcuts

`⌘B`	Bold
`⌘I`	Italic
`⌘⇧X`	Strikethrough
`⌘K`	Link
`⌘E`	Code block
`⌘⌥1–6`	Heading 1 to 6
`⌘⇧7 / 8 / 9`	Numbered, bullet, task list
`⌘⇧.`	Quote
`⌘⌥T`	Table
`⌘↵`	Tick a task
`⌘⇧E`	Edit, split or preview

On Windows and Linux, `Ctrl` for `⌘` and `Alt` for `⌥`. The rest are on the shortcuts cheat sheet.

Good to know

- One Enter is not a new line. Leave a blank line, or end the line with `\`.
- HTML in a note is shown as text and never runs.
- Press a formatting shortcut again to take the formatting off.
- Select text and type `*` `_` `~` or `` ` `` to wrap it.